

DOBIDOS

SAVE WATER
SAFE WATER



DOBIDOS Total Collections

Contents

SMART SEAT/TOILET

6 Smart Seat/Toilet

FAUCET

10 Faucet Series
17 Kitchen
19 Shower
22 Shower Head
23 Flush Valve

ACCESSORIES

26 Accessory Series
27 Slide Bar
28 Additional Accessories
29 Safety Grab Bar
30 Spare Parts

SMART SEAT SMART TOILET



AUTO OPEN/CLOSE (ToF sensor)

Opens and closes automatically when a user is detected through a time-of-flight (ToF) sensor, enabling hands-free, hygienic use.



AUTOMATIC FLUSHING

After use, the unit flushes automatically for added convenience.



STERILIZATION BY ELECTROLYTIC WATER

Cleans the ceramic toilet bowl and nozzle with electrolyzed water to maintain hygiene and cleanliness.



WATERPROOF - IPX4

Acquired IPX4 grade



AIR IN STRUCTURE

The Venturi effect allows the air to flow inside the nozzle, which saves more water and cleans with full water pressure




STAINLESS STEEL NOZZLE

The integrated stainless-steel nozzle reduces the gap between the nozzle and the toilet bowl, ensuring corrosion resistance and hygienic use


Smart Toilet




OMBRE
620x400x395mm
Remote control applied




CRYSTAL 2.0
705x388x485mm
Remote control applied




DB 9910T
690x390x500mm
Remote control applied



DB 9900
688x390x494mm
Remote control applied




DB 9800
688x390x484mm
Remote control applied




Smart Seat




DB 8800
525x468x167mm




DB 5600
525x400x167mm
Remote control applied






DB 5500
525x468x167mm



Smart Toilet

					
	OMBRE	CRYSTAL 2.0	DB 9910T	DB 9900	DB 9800
Heating system	Instant heating	Continuous heating			
Auto-Open/Close	■	■	■	■	
Auto-flush	■	■	■	■	■
Stainless steel nozzle	■	■	■	■	■
Front/Rear/Dry	■	■	■	■	■
Move, Massage function	■	■	■	■	■
Deodorization	■	■	■	■	■
Pressure control (**Front/Rear)	■	■	■	■	■
Temp. control (**Dry, Seat, Hot water)	■	■	■	■	■
Heated seat	■	■	■	■	■
Seat sensor	■	■	■	■	■
Soft Open/Close	■	■	■	■	■
Eco-mode	■	■	■	■	■
Self nozzle cleaning	■	■	■	■	■
Water supply	Direct water supply				


Smart Seat

			
	DB 8800	DB 5600	DB 5500
Heating system	Continuous heating		
Stainless steel nozzle	■	■	■
Night light	■	■	■
Air bubble cleaning	■	■	■
Child protection	■	■	■
Front/Rear/Dry	■	■	■
Move, Massage function	■	■	■
Pressure control (**Front/Rear)	■	■	■
Temp. control (**Dry, Seat, Hot water)	■	■	■
Seat overheat detection sensor	■	■	■
Seat sensor	■	■	■
Soft Open/Close	■	■	■
Eco-mode	■	■	■
Self nozzle cleaning	■	■	■



reddot winner 2024

FAUCET



HEAVY METAL FREE

We have applied a surface treatment technology that selectively dissolves and removes harmful lead components to prevent them from entering the human body.



ECO-FRIENDLY PRODUCT

By narrowing the hot water range of the cartridge, unconscious hot water waste can be reduced by 17% annually.



HIGHER INTERNAL STANDARDS APPLIED THAN KS STANDARD

We have established our own standards that exceed KS standards in areas such as operation, pressure resistance, durability, and surface treatment. This allows us to produce higher quality products.

Palette



Mist White

Soft as mist, capturing the elegance of Mist White.



Nebula Pink

Immerse your space in Mid Century Romance.



Cornflower Blue

Vintage elegance reimagined in the fresh hues of Cornflower Blue.



Sage Green

Timeless depth, capturing the spirit of Mid Century Romance in every shade of Sage Green.

Nymph - 25



Chrome

Metalic Gray

Brushed Gold

Matt Black

Citrus Orange

Milky White

Faucet Series

Palette



FL 0672
Lavatory faucet



FL 0673
Vessel faucet



FS 0757
Pull-out spray kitchen faucet



FB 0676
Concealed shower faucet

Nymph-25



FL 0742
Lavatory faucet



FL 0743
Vessel faucet



FS 0747
Pull-out spray kitchen faucet



FB 0746
Concealed shower faucet

La BRANCH 0830 series



FL 0832
Lavatory faucet (hole Ø35)



FB 0830
Bath & shower faucet
(piping span 140~160mm)



FL 0832-MCP
Marble



FL 0832-GP
Green pearl



FL 0832-BP
Brown pearl



FL 0832-RP
Red pearl



FL 0832-DB
Dark black brush



FL 0832-NB
Nickel brush

Faucet Series

La CLIFF 0820 series



FL 0822
Lavatory faucet (hole Ø35)



FB 0820
Bath & shower faucet
(piping span 140~160mm)

0900 series



FL 0902KN
Lavatory faucet (hole Ø35)



FL 0902
Lavatory faucet (hole Ø35)



FL 0903
Vessel faucet (hole Ø35)



FL 0903KN
Vessel faucet (hole Ø35)



FB 0900
Bath & shower faucet
(piping span 140~160mm)



FB 0900R
Bath & shower faucet
(piping span 150~180mm)



FS 0907
Pull-out spray kitchen faucet
(hole Ø36~40)

0920 series



FL 0922
Lavatory faucet (hole Ø35)



FB 0920
Bath & shower faucet
(piping span 150~180mm)



FS 0927
Pull-out spray kitchen faucet
(hole Ø36~40)

0710 series



FL 0712
Lavatory faucet (hole Ø35)



FB 0710
Bath & shower faucet
(piping span 150~180mm)

0700 series



FL 0702
Lavatory faucet (hole Ø35)



FB 0700
Bath & shower faucet
(piping span 150~180mm)



FS 0707
Pull-out spray kitchen faucet
(hole Ø36~40)

0620 series



FL 0622
Lavatory faucet (hole Ø35)



FB 0620
Bath & shower faucet
(piping span 150~180mm)



FL 0623
Vessel faucet (hole Ø35)
Automatic pop-up



FL 0632
Lavatory faucet (hole Ø35)



FS 0627
Pull-out spray kitchen faucet
(hole Ø36~40)

Faucet Series

0610 series



FL 0612
Lavatory faucet (hole Ø35)



FL 0610
Lavatory faucet (2hole)



FB 0617
Lavatory & shower
(hole Ø35)



FB 0610
Bath & shower faucet
(piping span 150~180mm)



FS 0617
Pull-out spray kitchen faucet
(hole Ø36~40)

0600 series



FL 0603
Vessel faucet (hole Ø35)
Push pop-up type

0520 series



FL 0522
Lavatory faucet (hole Ø35)



FL 0523
Lavatory faucet (hole Ø35)
Convenient for under-countertop
basin installation



FB 0520
Bath & shower faucet
(piping span 140~160mm)



FS 0527
Pull-out spray kitchen faucet
(hole Ø36~40)

0500 series



FL 0502
Lavatory faucet (hole Ø35)
Braille on the lever

0400 series



FL 0402
Lavatory faucet (hole Ø35)



FB 0400
Bath & shower faucet
(piping span 150~180mm)



FB 0400-15
Bath & shower faucet
(piping span 140~160mm)



FS 0407
Pull-out spray kitchen faucet
(hole Ø36~40)

0310 series



FL 0312
Lavatory faucet (hole Ø35)



FB 0310
Bath & shower faucet
(piping span 150~180mm)



FS 0317
Pull-out spray kitchen faucet
(hole Ø36~40)

0200 series



FL 0202
FL 0202ES (Energy saving faucet)
Lavatory faucet (hole Ø35)



FL 0202J
Lavatory faucet (hole Ø35)
Braille on the lever



FL 0200
FL 0200ES (Energy saving faucet)
Lavatory faucet (2 holes)



FB 0200
FB 0200ES (Energy saving faucet)
Bath & shower faucet
(piping span 150~180mm)

Faucet Series

0200 series



FB 0200-15

Bath & shower faucet
(piping span 140~160mm)

FB 0200NR

Shower faucet
(piping span 150~180mm)

FB 0200N

Shower faucet
(piping span 150~180mm)

FB 0200NM

Shower faucet
(piping span 150~180mm)



FS 0207

FS 0207ES (Energy saving faucet)

Pull-out spray kitchen faucet
(hole Ø36~40)

FS 0205

FS 0205ES (Energy saving faucet)

Pull-out spray kitchen faucet
(hole Ø36~40)

FS 0204

Kitchen faucet with flexible sprayer
(piping span 150~180mm)

FS 0206

Pull-out spray kitchen faucet
(piping span 150~180mm)



FS 0200

Kitchen faucet
(piping span 150~180mm)

5920 series



FL 5922

Lavatory faucet (hole Ø35)

FB 5920

Bath & shower faucet
(piping span 140~160mm)

FS 5925

Pull-down spray kitchen faucet
(hole Ø36~40)

3900 series



FL 3902

FL 3902ES (Energy saving faucet)

Lavatory faucet (hole Ø35)
Automatic pop-up

FB 3907

Lavatory & shower faucet
(hole Ø35)

FB 3900

Bath & shower faucet
(piping span 150~180mm)

FB 3910NR

Shower faucet
(piping span 140~160mm)



FB 3900NR

Shower faucet
(piping span 150~180mm)

FB 3900NM

Shower faucet
(piping span 150~180mm)

FS 3907

FS 3907ES (Energy saving faucet)

Pull-out spray kitchen faucet
(hole Ø36~40)

FS 3905

Pull-out spray kitchen faucet
(hole Ø36~40)

Kitchen

Kitchen faucet



FS 1128

Kitchen faucet with flexible sprayer
(hole Ø35)

Thermostatic

Thermostatic temperature control shower faucet



FB 2060TKR
Bath & shower faucet
(piping span 150~180mm)



FB 2060N
Shower faucet
(piping span 150~180mm)



FB 2060NM
Shower faucet
(piping span 150~180mm)



FB 2060NR
Shower faucet
(piping span 150~180mm)

Thermostatic temperature control self-closing shower faucet



FB 3060A
Bath & shower faucet
(piping span 150~180mm)



FB 3060AN
Shower faucet
(piping span 150~180mm)



FB 3060ANM
Shower faucet
(piping span 150~180mm)



FB 2060AN
Shower faucet
(piping span 150~180mm)



FB 2060ANM
Shower faucet
(piping span 150~180mm)



FB 2060A
Bath & shower faucet
(piping span 150~180mm)



FB 2060ANR
Shower faucet
(piping span 150~180mm)

Shower

Shower faucet with shelf



FB 1681



FB 1677



FB 1675MB



FB 1675



FB 1672



FB 1671
3 outlets



FB 1669



FB 1667



FB 1674DPY

FB1674_LED display

Cold Water : Below 26° C



Mixed Water : 27-38° C



Hot Water : Above 39° C



*The LED display is self-powered by water flow and appears only while water is running. The dispensed volume resets to "0" at the start of each use.



FB 1677NRC

Shower

Rain shower faucet
with shelf



FB 1681S



FB 1677NRC



FB 1677S



FB 1675S
Slide bar : optional



FB 1673S
Slide bar : optional



FB 1671S
Slide bar : optional

Shelf



FX 3100
Shelf for rain shower faucet
(416×450×160mm)



FX 3200
Shelf for rain shower faucet
(416×450×160mm)



FX 3300
Shelf for rain shower faucet
(450×390×160mm)

Rain shower faucet



FB 230NR
(piping span 140~160mm)



FB 020NRC
(piping span 150~180mm)



FB 020NRSC
(piping span 150~180mm)

Thermostatic
temperature control
rain shower faucet



FB 215NR
Thermostatic temperature control
(piping span 140~160 mm)



FB 215NRS
Thermostatic temperature control
(piping span 140~160 mm)

Shower Head

Rain shower head



PF 163W

Rain shower head
Residual water leakage prevention
(300×200)

PF 163

Rain shower head
Residual water leakage prevention
(300×200)

PF 162C

Rain shower head (Ø200)

PF 160C

Rain shower head (200×200)



PF 094C

Rain shower head (Ø180)

PF 082C

Rain shower head (Ø150)

Shower head



PF 136C

PF 105C

Massage shower head (2 functions)

Hand shower



PF 179C

High water pressure hand shower
(3 functions)

PF 167C

PF 166C

Massage hand shower
(3 functions)

PF 165C

Massage hand shower
(3 functions)



PF 159C

PF 158C

PF 128C

PF 121C

Hand shower



PF 116C

PF 093C

PF 079C

Massage hand shower
(3 functions)

PF 075C

Massage hand shower
(5 functions)

Urinal

Urinal flush valve



FU 101CS

Urinal flush valve
Liquid waste : 4L

Toilet flush valve



FC 150A (Battery type)

FC 150E (Electricity type)

Toilet sensor flush valve
Voltage : DC 6V
Water pressure : 1~5kgf / cm²(W.C)

FC 110CS

Toilet flush valve
Solid waste : 6L
Length adjustable

FC 110CSB

Toilet flush valve with smart seat
water supply hole
Solid waste : 6L
Length adjustable

FC 106CS

Dual flush valve for solid and liquid waste
Solid waste : 6L / Liquid waste : 4L
Length adjustable



FC 106CSB

Dual flush valve for solid and liquid waste
with smart seat water supply hole
Solid waste : 6L / Liquid waste : 4L
Length adjustable

ACCESSORIES



EASY INSTALLATION

Optimized component specifications have been applied to ensure suitability for installation and use.



ERGONOMIC DESIGN

Products with an ergonomic design can provide equal usability in various bathroom environments.



SAFE FINISHING

Safe finishing minimizes the risk of accidents that could easily lead to injuries while using the product.

Accessory Series



460 series



450 series



430C series



430B series



420C series



410C series



400 series



2050 series

Slide Bar



FA 215C
Chrome slide bar



FA 200C
Chrome slide bar



FA 200-NB
Nickel brushed slide bar



FA 200-DG
Dark gray slide bar



FA 200-CG
Champagne gold slide bar



FA 200-MB
Matt black slide bar



FA 197C
Chrome slide bar



FA 195MB
Matt black slide bar



FA 195C
Chrome slide bar



FA 190C
FA 190C-1C
(Installation span 680mm)



FA 180C
(Installation span 680mm)



FA 170C
Slide bar with shelf (vertical installation span 680mm / horizontal installation span 400mm / shelf width 120mm)



FA 160C
FA 160TC (With towel hanger)
(Installation span 680mm)



FA 155C
FA 155TC (With towel hanger)
(Installation span 680mm)



FA 150C
FA 150TC (With towel hanger)
(Installation span 680mm)



ZFB 100C
ZFB 100TC (With towel hanger)
(Installation span 680mm)

Additional Accessories




FA 60A
Towel bar (450mm)



FA 6010SS
Toilet paper holder



FA 230TR
Toilet paper holder with phone holder



FA 6012SS
Toilet paper holder



FA 6025TR
Built-in toilet paper holder and tray



FA 60D
Soap holder

Safety Grab Bar



FU 771
Urinal grab bar



FL 762
Wash basin grab bar



FL 761
Grab bar for wheel chair user



FC 755
Up-down operation grab bar (vertical type)



FC 753
Left-right operation grab bar (horizontal type)



FC 752
T-shaped fixed grab bar



FA 80
Length : 400mm, 500mm, 600mm, 700mm



FU 771W
Urinal grab bar(white)



FL 762W
Wash basin grab bar(white)



FL 761W
Grab bar for wheel chair user(white)



FL 756W
Foldable bathroom seat(white)



FC 755W
Up-down operation grab bar (vertical type-white)



FC 753W
Left-right operation grab bar (horizontal type-white)



FC 752W
T-shaped fixed grab bar (white)



FC 751W
L-shaped fixed grab bar (white)



FA 80-5W
Shower safety grab bar
Length : 500mm, 600mm

Spare Parts



PB 125N-2
2 hole valve



PB 031-2NC
Angle valve 2 spouts (1/2" x 1/2")
Cartridge type



FS 167C
Multi-purpose faucet



FS 167NRC
Angle valve 2 outlets



PR038
Adjustable arm for
thermostatic faucet
Offcenter distance : 50mm



P14063C
Hanger



P14060C
Hanger



P14050IV
Hanger



PB 030N Angle valve integral type
PB 030NV With backflow prevention valve
PB 022-4N Angle valve separate type



FL 222N
S-trap



FL 215P
I-trap



FL 213 P-trap (size 261mm)
FL 214N P-trap (size 361mm, non-polished)
FL 218N P-trap (size 315mm, non-polished)



P14053C
Hanger



P14065C
Hanger



FL 219C
FL 219W
Trap for wall and floor drain



FL 238-15C (pop-up rod Ø6)
FL 238-15CD (pop-up rod Ø5)
Drain



PP 024C
Pop-up rod (hole Ø15)



FL 247 (Ø38) Push pop-up
FL 247T (Ø38) (No overflow type)
FL 245 (Ø45) Push pop-up



FL 248
FL 248W (white)
Push pop-up with trap integrated
(wall drain)



FL 248S
FL 248SW (white)
Push pop-up with trap integrated
(floor drain)



FL 255-15C
Drain



PD 142S
Shower hose



PD 142SS
Shower hose



PD 142
Shower hose



PD 014
Deck mount kitchen
faucet hose



PD 110
Extension hose
Length : 200mm



www.dltc.co.kr/en

DOBIDOS

Daelim B/D, 142, Yeonhui-ro, Seodaemun-gu, Seoul, 120-712 Korea
TEL 02)730-9811 FAX 02)730-9810, 733-7098

Headquarters Daelim Building, 142, Yeonhui-ro, Seodaemun-gu, Seoul TEL +82-2-730-9811 FAX +82-2-730-9810, 733-7098

Jeungpyeong Faucet and Smart Toilet Factory 23, Jeungpyeongsandan-ro, Jeungpyeong-eup, Jeungpyeong-gun, Chungcheongbuk-do TEL +82-43-820-0100~3 FAX +82-43-820-0250~2

Incheon Shower Booth & Sanitary Ware Factory 258, Wanjeong-ro, Seo-gu, Incheon TEL +82-32-564-2201 FAX +82-32-564-2200

Regional Sales Office 15th fl, 5, Jungang-daero 775 beon-gil, Busanjin-gu, Busan, 47251, Korea TEL +82-51-811-2300~3 FAX +82-51-811-2307

Customer Service Center TEL +82-1588-8209 FAX +82-2-725-8289

- Products in this catalog may be discontinued or changed for quality improvement, and there may be a difference in color between the catalog and the actual color.
- The product warranty period is one year from the date of purchase, and exchange, refund, and damage compensation shall be in accordance with the Consumer Damage Compensation Regulations notified by the Ministry of Finance-Economy.